
License Plate File

Table of Contents

1 INTRODUCTION	4
1.1 DEFINITION	4
1.2 CRITERIA FOR ENTRY	4
1.3 MESSAGE KEY (MKE) CODES	4
1.4 RECORD RETENTION PERIOD	5
1.5 AUTOMATIC RETIREMENT	5
1.6 VALIDATION	5
1.7 MESSAGE FIELD CODES AND EDITS	6
1.8 CRITERIA FOR REJECTING DUPLICATE RECORDS	7
1.9 INVESTIGATIVE INTEREST	7
2 ENTRY	8
2.1 EXAMPLE OF STOLEN LICENSE PLATE ENTRY	8
2.2 MESSAGE FIELD CODES FOR ENTRY	8
2.3 MANDATORY FIELDS FOR ENTRY	8
2.4 ADDITIONAL GUIDELINES FOR ENTRY	9
2.5 MESSAGE FIELD CODES EDITS FOR ENTRY	9
2.5.1 DESCRIPTORS	9
2.5.2 LICENSE PLATE NUMBER (LIC)	9
2.5.3 LICENSE PLATE STATE (LIS)	9
2.5.4 LICENSE PLATE YEAR OF EXPIRATION (LIY)	10
2.5.5 LICENSE PLATE TYPE (LIT)	10
2.5.6 MISCELLANEOUS (MIS)	10
2.5.7 ORIGINATING AGENCY CASE NUMBER (OCA)	10
2.5.8 LINKAGE DATA (LKI and LKA)	11
2.5.9 NOTIFY ORIGINATING AGENCY (NOA)	11
2.6 LICENSE PLATE DATA AND THE \$.8. PROGRAM	11
3 MODIFICATION	11
3.1 WHEN TO USE A MODIFICATION MESSAGE	11
3.2 EXAMPLE OF A MODIFICATION MESSAGE	11
3.3 MESSAGE FIELD CODES FOR MODIFICATION	12
3.4 IDENTIFICATION OF A RECORD TO BE MODIFIED	12
3.5 ADDITIONAL GUIDELINES FOR MODIFICATION	12
3.5.1 NAME OF VALIDATOR (VLN)	12
3.6 AUTOMATIC NOTIFICATION OF MODIFICATION	13
4 CANCELLATION	13
4.1 WHEN TO USE A CANCELLATION MESSAGE	13

4.2	EXAMPLE OF A CANCELLATION MESSAGE.....	13
4.3	MESSAGE FIELD CODES FOR CANCELLATION.....	13
4.4	IDENTIFICATION OF A RECORD TO BE CANCELED.....	14
4.5	ADDITIONAL GUIDELINES FOR CANCELLATION.....	14
4.6	AUTOMATIC NOTIFICATION OF CANCELLATION.....	14
5	INQUIRY.....	14
5.1	EXAMPLE OF AN INQUIRY WITH NEGATIVE AND POSITIVE RESPONSES.....	14
5.2	REQUIREMENTS FOR INQUIRY.....	14
5.3	ADDITIONAL GUIDELINES FOR INQUIRY.....	15
5.3.1	RELATED SEARCH HIT (RSH).....	15
5.4	BATCH INQUIRY (QVB).....	16
5.5	PROCEDURES FOR HANDLING A HIT.....	16
5.6	CANADIAN VEHICLE INDEX INFORMATION.....	17
6	LOCATE.....	17
6.1	WHEN TO USE A LOCATE MESSAGE.....	17
6.2	EXAMPLE OF A LOCATE MESSAGE.....	18
6.3	MESSAGE FIELD CODES FOR LOCATE.....	18
6.4	IDENTIFICATION OF A RECORD TO RECEIVE LOCATE.....	19
6.5	LOCATE PROCEDURES.....	19
6.6	ADDITIONAL GUIDELINES FOR LOCATE.....	19
6.7	AUTOMATIC NOTIFICATION OF LOCATE.....	19
7	CLEAR.....	20
7.1	WHEN TO USE A CLEAR MESSAGE.....	20
7.2	EXAMPLE OF A CLEAR MESSAGE.....	20
7.3	MESSAGE FIELD CODES FOR CLEAR.....	20
7.4	IDENTIFICATION OF A RECORD TO BE CLEARED.....	21
7.5	CLEAR PROCEDURES.....	21
7.6	ADDITIONAL GUIDELINES FOR CLEAR.....	22
7.7	AUTOMATIC NOTIFICATION OF CLEAR.....	22

1 INTRODUCTION

1.1 DEFINITION

NCIC defines a **regular** license plate as a standard 6" x 12" plate issued for use on a passenger automobile and containing no embossed wording, abbreviations, and/or symbols to indicate that the license plate is a special issue.

All plates other than regular passenger automobile plates are classified as special plates. Examples of special plates are the following: aircraft, antique, bus, commercial, dune buggy, farm vehicle, motorcycle, trailer, truck, and U.S. Government vehicles. The Vehicle Data Codes, *NCIC Code Manual*, contains a complete list of all regular and **special** plate types.

1.2 CRITERIA FOR ENTRY

- A uniquely-numbered stolen license plate can be entered only if a theft report has been made.
- In a two-plate state where only one plate is reported stolen, the entering agency can make an entry only after getting the complainant's assurance that the remaining plate will not be used on a vehicle.
- Agencies must have a theft report (electronic or hard copy) on file to support a license plate entry. Only the agency holding the theft report and having primary jurisdiction over the place of actual theft may make an NCIC entry. The only exception is that any criminal justice agency or regional dispatch center may act as holder of the record for another agency that has no telecommunications equipment. When such an entry is made, the agency holding the record may place its own ORI in the ORI Field only when there is a written agreement between the two agencies which delineates the legal responsibility for the record. Additional information concerning these responsibilities can be found in the Introduction chapter of this manual

1.3 MESSAGE KEY (MKE) CODES

Message	MKE	Translation
Entry	EL	STOLEN LICENSE PLATE
	EL-A	STOLEN LICENSE PLATE - OCCUPANT(S) ARMED
	EL-F	STOLEN LICENSE PLATE - OCCUPANT(S) ARMED/HOLD FOR LATENTS
	EL-P	STOLEN LICENSE PLATE - HOLD FOR LATENTS
Modify	ML	
Cancel	XL	
Inquiry	QV ZV QVB	
	QW QWA QWE QWF QWS QWB QWI ZW	
Locate	LL	LOCATED LICENSE PLATE
		LOCATED LICENSE PLATE - OCCUPANT(S) ARMED

		LOCATED LICENSE PLATE - OCCUPANT(S) ARMED/HOLD FOR LATENTS LOCATED LICENSE PLATE - HOLD FOR LATENTS
Clear	CL	

- If it is desired that a stolen license plate be held for latent fingerprint examination, the caution indicator -P should be entered as part of the MKE, for example, EL-P which translates as STOLEN LICENSE PLATE - HOLD FOR LATENTS.
- If the occupant(s) of the vehicle on which the license plate is believed to be displayed is known to be armed, the caution indicator -A should be entered as part of the message key code, for example, EL-A which translates as STOLEN LICENSE PLATE - OCCUPANT(S) ARMED.
- If a combination of the above two conditions exists, the caution indicator -F should be entered as part of the message key code, for example, EL-F which translates as STOLEN LICENSE PLATE - OCCUPANT(S) ARMED/HOLD FOR LATENTS.

1.4 RECORD RETENTION PERIOD

- License plate records will remain on file for the balance of the year of entry plus an additional 4 years.
- Serious errors will affect the retention period of a record. A serious error in this file occurs when a record contains inaccurate license plate data. A state Department of Motor Vehicles (DMV) where the plates are issued may compare license plate data with records contained in their files. If inaccuracies are detected, the state of registry notifies the entering agency so the inaccurate data can be corrected. If the error is not corrected, the state of registry should notify NCIC. Upon notification from the state of registry, the NCIC System will cancel the record and transmit a \$.E. administrative message to the entering agency. The message provides the entire canceled record and a detailed explanation for the cancellation. Additional information on serious error detection, \$.E. administrative message, can be found in the Introduction chapter of this manual.

1.5 AUTOMATIC RETIREMENT

A record is retired 10 days after it is located, and the entering agency is notified with a \$.P. administrative message. The ORI of record will be notified that the record has been located by a \$.L. administrative message. Additional information concerning the \$.P. administrative message can be found in the Introduction chapter of this manual.

1.6 VALIDATION

For validation policy and procedures, refer to the Validation section in the Introduction chapter of this manual.

The Name of Validator (VLN) Field will be returned when the requester of the record is the entering agency, the CJIS Systems Agency (CSA) of the entering agency, the FBI, and in the \$.C. Request for Validation Notification and fixed format validation files. For all other responses, the VLN Field will be suppressed.

1.7 MESSAGE FIELD CODES AND EDITS

Code	Field	Edits
CDE	Canadian Date of Entry	Must be a valid Gregorian date (YYYYMMDD). Canadian Vehicle Index records only.
DCL	Date of Clear	Must be a valid Gregorian date (YYYYMMDD) equal to or less than current date.
DOC	Date of Cancellation	Must be a valid Gregorian date (YYYYMMDD) equal to current date or current date minus one.
DOR	Date of Recovery	Must be a valid Gregorian date (YYYYMMDD) equal to or less than current date.
DOT	Date of Theft	Must be a valid Gregorian date (YYYYMMDD). The date of theft cannot be greater than the current date.
LIC	License Plate Number	Must not contain hyphens, spaces, or symbols. UNK, UNKN, or UNKNOWN may be used in inquiry transactions. For entry of a record with UNK, UNKN, or UNKNOWN, contact the FBI's CJIS Division staff. If the license plate number exceeds ten characters, ten characters should be entered in the LIC Field. The full plate number must be shown in the MIS Field.
LIS	License Plate State	Must be a valid NCIC-assigned code as (Issuer) listed in State and Country Data Codes, <i>NCIC Code Manual</i> .
LIT	License Plate Type	Must be a valid NCIC-assigned code as listed in Vehicle Data Codes, <i>NCIC Code Manual</i> .
LIY	License Plate Year of Expiration	Must be a valid four-character year (YYYY) or the alphabetic NX to represent a nonexpiring registration.
LKA	Linkage Case Number	Must not contain a single zero only, a run of zeros only, a single alphabetic character only, the word NONE, or the first seven characters of the LKI Field. The only valid special character is the hyphen. The LKA must be valid for the LKI. (There must be an ORI and matching OCA in the System.)
LKI	Linkage Agency Identifier	Must be a valid NCIC-assigned ORI as defined in the ORI chapter of this manual.
MIS	Miscellaneous	Free Text.
MKE	Message Key	Must be a valid message key.
NIC	NCIC Number	A self-checking number consisting of an alphabetic character (P in the License Plate File) followed by nine numeric characters automatically assigned by the NCIC System to each accepted record. Must have valid check digits when used to identify a record in a subsequent transaction
NOA	Notify Originating Agency	Must be Y or N. The NCIC System will default to N if field is left blank.
NPA	Number of Persons Apprehended	Count of persons arrested as a result of locating the stolen license plate. Can be entered only if RPP is entered. Must be blank or 0 if RPP is OTHER MEANS or PREVIOUS RECOVERY.
NPF	Number of Missing Persons Found	First three characters must be numeric. Fourth character must be J for juvenile or O for other missing person. Fifth character must be I or N for indexed or not indexed in the NCIC System. Can be entered only if RPP is entered. Must be blank or 0 if RPP is OTHER

		MEANS or PREVIOUS RECOVERY.
OCA	Originating Agency Case Number	Must not contain a single zero only, a run of zeros, a single alphabetic character only, the word NONE, or the first seven characters of the ORI Field. The only valid special character is the hyphen
ORI	Originating Agency Identifier	Must be a valid NCIC-assigned ORI as defined in the ORI chapter of this manual.
RCA	Recovering Agency Case Number	Must not contain a single zero only, a run of zeros only, the word NONE, or a single alphabetic only. The first seven characters of the RCA cannot equal the first seven characters of the RRI. The only valid special character is the hyphen.
RPP	Reason for Property Record Removal	Must be a valid NCIC-assigned code as listed in the Other Transactions Codes, <i>NCIC Code Manual</i> .
RRI	Recovering Agency Identifier	Must be a valid NCIC-assigned ORI as defined in the ORI chapter of this manual.
RSH	Related Search Hit	Must be Y or N.
VLN	Name of Validator	Any valid characters representing validator.
VNP	Value of Recovered Property	Must be 0 or blank. Fair market value (in whole dollars) of the recovered stolen license plate identified in the record. Can be entered only if RPP is entered. Must be blank or 0 if RPP is OTHER MEANS or PREVIOUS RECOVERY.
VOR	Value of Other Recovered Property	Fair market value (in whole dollars) of property recovered as a result of locating the stolen license plate identified in the record. Can be entered only if RPP is entered. Must be blank or 0 if RPP is OTHER MEANS or PREVIOUS RECOVERY.
VRC	Value of Recovered Contraband	Fair market value (in whole dollars) of any contraband recovered as a result of locating the stolen license plate identified in the record. Can be entered only if RPP is entered. Must be blank or 0 if RPP is OTHER MEANS or PREVIOUS RECOVERY.

1.8 CRITERIA FOR REJECTING DUPLICATE RECORDS

If the LIC, LIS, LIY, LIT, and ORI Fields of a stolen license plate message are the same as those field codes of a license plate or vehicle record already on file in the NCIC System, the second message will be rejected with the message REJECT - ON FILE.

Whenever the message REJECT - ON FILE is sent, the record on file will also be transmitted.

A duplicate record will be accepted if the ORI in the second message is different or if the license plate data match license plate data in one of the person files (Wanted Person, Missing Person, Supervised Release, etc.). In those cases, the duplicate records will be furnished as a response with the acknowledgment.

1.9 INVESTIGATIVE INTEREST

The Other Transactions chapter of this manual contains information regarding investigative interest supplemental records in the NCIC System.

2 ENTRY

2.1 EXAMPLE OF STOLEN LICENSE PLATE ENTRY

1N01HEADER.EL.MD1012600.ABC123.MD.1999.PC.19991030.123ABC...PLATE STOLEN
FROM A CAR IN DRIVEWAY.Y

Acknowledgment:

1L01HEADER
MD1012600
NIC/P000002154 LIC/ABC123
OCA/123ABC

2.2 MESSAGE FIELD CODES FOR ENTRY

FIELD NAME	REQUIREMENTS	MESSAGE FIELD CODE	FIELD LENGTH	DATA TYPE
HEADER	MANDATORY	HDR	9-19	ALPHABETIC, NUMERIC, SPECIAL CHARACTERS
MESSAGE KEY	MANDATORY	MKE	2-4	ALPHABETIC, SPECIAL CHARACTERS
ORIGINATING AGENCY IDENTIFIER	MANDATORY	ORI	9-9	ALPHABETIC, NUMERIC
LICENSE PLATE NUMBER	MANDATORY	LIC	1-10	ALPHABETIC, NUMERIC
LICENSE PLATE STATE	MANDATORY	LIS	2-2	CODE AS DEFINED IN NCIC CODE MANUAL
LICENSE PLATE YEAR OF EXPIRATION	MANDATORY	LIY	2-2 4-4	ALPHABETIC (2), NUMERIC (4)
LICENSE PLATE TYPE	MANDATORY	LIT	2-2	CODE AS DEFINED IN NCIC CODE MANUAL
DATE OF THEFT	MANDATORY	DOT	8-8	NUMERIC
ORIGINATING AGENCY CASE NUMBER	MANDATORY	OCA	1-20	ALPHABETIC, NUMERIC, SPECIAL CHARACTERS
LINKAGE AGENCY IDENTIFIER	OPTIONAL	LKI	9-9	ALPHABETIC, NUMERIC
LINKAGE CASE NUMBER	OPTIONAL	LKA	1-20	ALPHABETIC, NUMERIC, SPECIAL CHARACTERS
MISCELLANEOUS	OPTIONAL	MIS	1-200	ALPHABETIC, NUMERIC, SPECIAL CHARACTERS
NOTIFY ORIGINATING AGENCY	OPTIONAL	NOA	1-1	ALPHABETIC

2.3 MANDATORY FIELDS FOR ENTRY

The following fields are mandatory for acceptance of an entry into the NCIC System: HDR, MKE, ORI, LIC, LIS, LIY, LIT, DOT, and OCA.

2.4 ADDITIONAL GUIDELINES FOR ENTRY

- When the **license plate number exceeds ten characters**, only the first ten characters in the LIC Field should be entered. The full plate number should be entered in the MIS Field.
- When the **license plate sticker, windshield sticker, or embossed numbers on the plate are missing**, the highest year in which the license plate is valid as indicated on the registration document should be entered in the LIY Field.
- When only **one plate is stolen or missing**, some type of notation should be entered in the MIS Field to explain this fact; for example, 1 PLATE STOLEN.
- When the **entering agency wants to be notified** each time its record is hit upon regardless of whether the location of the property is known, the entering agency should set the NOA Field to Y.
- For training and administrative purposes, agencies may enter test records into the NCIC System using the header TN01. The test records will not generate any notifications nor will batch processing be performed in the test system.

2.5 MESSAGE FIELD CODES EDITS FOR ENTRY

2.5.1 DESCRIPTORS

Entry instructions and valid codes for LIT can be found in Vehicle Data Codes, *NCIC Code Manual*.

Codes for entering the LIS can be found in State and Country Data Codes, *NCIC Code Manual*.

2.5.2 LICENSE PLATE NUMBER (LIC)

- Only alphabetic and/or numeric characters may be entered in the LIC Field; therefore, the information must be entered omitting any hyphens, spaces, or symbols. For instances when a hyphen or symbol is a substantive part of the license number, information concerning the location and design of each should be included in the MIS Field. Further information relevant to the construction of the number can be obtained by contacting the CSA in the state of registry.
- If the license plate number exceeds ten characters, only the first ten characters should be entered. The entire number must be shown in the MIS Field. Partial license plates must not be entered.
- Where one character appears over another, the top character should be entered first, immediately followed by the bottom character, that is,
A as AB.
B

2.5.3 LICENSE PLATE STATE (LIS)

The appropriate code for the state, territorial possession, province, or country that issued the license plate must be used in the LIS of the stolen license plate entry. The codes listed in State and Country Data Codes, *NCIC Code Manual*, are the only codes approved for use in the LIS.

Regarding military vehicles and other U.S. Government vehicles with plates displaying the inscription U.S. GOVERNMENT, the code US should be entered.

2.5.4 LICENSE PLATE YEAR OF EXPIRATION (LIY)

The highest year in which the license plate is valid, as indicated on the license plate via sticker or embossed numbers or as indicated on a windshield sticker, should be entered in the LIY Field. Grace periods or extensions are not to be considered when determining the LIY. Nonexpiring license plates should be entered by using LIY/NX.

In the absence of a license plate sticker, windshield sticker, or embossed numbers on the plate, the last two digits of the highest year in which the license plate is valid as indicated on the registration document should be entered.

NX should be entered to indicate a nonexpiring license plate when all of the following conditions exist:

- No year sticker is on the plate or windshield.
- No year is embossed on the plate.
- The plate number is never reissued.
- The registration supporting the plate indicates no expiration; for example, U.S. Government, U.S. Military, and some state, county, and municipal vehicle plates are nonexpiring.

2.5.5 LICENSE PLATE TYPE (LIT)

Motor vehicle license plate types are coded as regular passenger car plates or special plates. Only codes as listed in Vehicle Data Codes, *NCIC Code Manual*, are acceptable for entry in the LIT.

2.5.6 MISCELLANEOUS (MIS)

- License plate numbers exceeding ten characters must be shown completely in the MIS Field. The first ten characters of the plate number must be entered in the LIC Field.
- In those states where the deletion of a hyphen or symbol in a license plate number may cause an invalid match of license plate numbers, the plate number properly hyphenated must be shown in the MIS Field. An example is plate number 1-1568 which would be matched with plate number 11-568. License plate numbers containing a symbol may be entered as follows:

When a symbol is used as a separator, the number should be entered in the MIS Field with a hyphen indicating the position of the symbol. Or

When a symbol is used as a decoration, the number should be entered only in the LIC Field disregarding the symbol.

2.5.7 ORIGINATING AGENCY CASE NUMBER (OCA)

The entering agency should ensure the OCA is a unique number assigned to the case within the agency. For NCIC records not related to an investigative case, the OCA Field must still be unique (e.g., state system-assigned number, filing system number, state identification number).

2.5.8 LINKAGE DATA (LKI and LKA)

The Linkage ORI and OCA Fields are provided as separate fields to associate incidents that are handled by multiple departments. An agency entering a record which shares the same incident of a record entered by a different ORI and/or OCA can link the records by entering the associated ORI and OCA in the linkage fields (LKI and LKA). The NCIC System will automatically link records entered within 30 days of the original entry that contain the same ORI and OCA. An ORI may use the LKI and LKA Fields to link related records that contain the same ORI and OCA entered more than 30 days after the original record entry. The message will be rejected if the first seven characters of the LKA are the same as the first seven characters of the LKI.

2.5.9 NOTIFY ORIGINATING AGENCY (NOA)

When the ORI believes that notification each time its record is hit will provide investigative leads, regardless of whether the location of the license plate is known, Y should be entered into the NOA Field. Currently, if NOA is left blank, the field will default to N.

The NOA Field will be returned in record responses when the inquiring agency ORI matches the entering agency ORI and in unsolicited notifications (\$. messages) to the ORI of record.

2.6 LICENSE PLATE DATA AND THE \$.8. PROGRAM

An agency entering a record for a license plate registered in another state must advise the CSA in the state of registry about such an entry if the state of registry is not a \$.8. Program participant. Additional information on the \$.8. Program can be found in the Introduction chapter of this manual.

3 MODIFICATION

3.1 WHEN TO USE A MODIFICATION MESSAGE

Modification of a record is restricted to the agency that entered the record. A modification message is used to add information or delete or change erroneous data in an active license plate record. If a license plate record has been located (MKE/LOCATED LICENSE PLATE) or retired, it cannot be modified and, therefore, must be reentered. For online validation, a modification message is also used to validate a record.

3.2 EXAMPLE OF A MODIFICATION MESSAGE

The modification example contains header (1N01HEADER), message key (ML), Originating Agency Identifier (MD1012600), two record identifiers (NIC/P000002154 and OCA/CC1658), the field being modified, and the modification (LIC/ABC132).

```
1N01HEADER.ML.MD1012600.NIC/P000002154.OCA/CC1658.LIC/ABC132
```

Acknowledgment:

```
1L01HEADER
MD1012600
MODIFY NIC/P000002154
```

3.3 MESSAGE FIELD CODES FOR MODIFICATION

FIELD NAME	REQUIREMENTS	MESSAGE FIELD CODE	FIELD LENGTH	DATA TYPE
HEADER	MANDATORY	HDR	9-19	ALPHABETIC, NUMERIC, SPECIAL CHARACTERS
MESSAGE KEY	MANDATORY	MKE	2-2	ALPHABETIC
ORIGINATING AGENCY IDENTIFIER	MANDATORY	ORI	9-9	ALPHABETIC, NUMERIC
LICENSE PLATE NUMBER	CONDITIONAL	LIC	1-10	ALPHABETIC, NUMERIC
NCIC NUMBER	CONDITIONAL	NIC	10-10	ALPHABETIC, NUMERIC
ORIGINATING AGENCY CASE NUMBER	MANDATORY	OCA	1-20	ALPHABETIC, NUMERIC, SPECIAL CHARACTERS
NAME OF VALIDATOR	OPTIONAL	VLN	3-30	ALPHABETIC, NUMERIC, SPECIAL CHARACTERS
ANY FIELD(S) FROM ENTRY TRANSACTION				

3.4 IDENTIFICATION OF A RECORD TO BE MODIFIED

The modify transaction must contain two record identifiers. The first identifier is the NIC or LIC. The second identifier must always be the OCA. All fields, other than HDR, MKE, and ORI, must be preceded by the proper MFC and a slash (/).

3.5 ADDITIONAL GUIDELINES FOR MODIFICATION

3.5.1 NAME OF VALIDATOR (VLN)

For NCIC validation, a name of validator may be added to the Name of Validator (VLN) Field of a license plate record to indicate that the record has been validated. When data are entered into the VLN Field, the NCIC System stores the current date in the Date of Last Validation (VLD) Field of the record. If the user attempts to delete or modify the VLN Field to all blanks, the message will be rejected. The acknowledgment for the modify message containing VLN Field data will indicate the record has been validated. Each CSA can determine the specific data to be included in the VLN Field for the validation of the record.

For example:

The modification example to validate a record contains header (1N01HEADER), message key (ML), Originating Agency Identifier (MD1012600), two record identifiers (NIC/P000002154 and OCA/2501), and name of validator (VLN/JONES, DAVID E).

```
1N01HEADER.ML.MD1012600.NIC/P000002154.OCA/2501.VLN/JONES, DAVID E
```

Acknowledgment:

```
1L01HEADER
MD1012600
VALIDATE NIC/P000002154
```

3.6 AUTOMATIC NOTIFICATION OF MODIFICATION

A \$.8. Out-of-State Notification will be sent automatically as necessary. Additional information on the \$.8. administrative messages can be found in the Introduction chapter of this manual.

4 CANCELLATION**4.1 WHEN TO USE A CANCELLATION MESSAGE**

Cancellation of a record is restricted to the agency that entered the record. A cancellation message is used when the entering agency determines that the record is invalid (e.g., a record is determined to be the result of a fictitious or false theft report), or the information contained in the record is invalid or inaccurate.

4.2 EXAMPLE OF A CANCELLATION MESSAGE

The cancellation example contains header (1N01HEADER), message key (XL), Originating Agency Identifier (MD1012600), two record identifiers (NIC/P000002154 and OCA/1658), date of cancellation (19991030), and reason for property record removal (NOT STOLEN).

```
1N01HEADER.XL.MD1012600.NIC/P000002154.OCA/1658.19991030.NOT STOLEN
```

Acknowledgment:

```
1L01HEADER
MD1012600
CANCEL NIC/P000002154
```

4.3 MESSAGE FIELD CODES FOR CANCELLATION

FIELD NAME	REQUIREMENTS	MESSAGE FIELD CODE	FIELD LENGTH	DATA TYPE
HEADER	MANDATORY	HDR	9-19	ALPHABETIC, NUMERIC, SPECIAL CHARACTERS
MESSAGE KEY	MANDATORY	MKE	2-2	ALPHABETIC
ORIGINATING AGENCY IDENTIFIER	MANDATORY	ORI	9-9	ALPHABETIC, NUMERIC
NCIC NUMBER	CONDITIONAL	NIC	10-10	ALPHABETIC, NUMERIC
LICENSE PLATE NUMBER	CONDITIONAL	LIC	1-10	ALPHABETIC, NUMERIC
ORIGINATING AGENCY CASE NUMBER	MANDATORY	OCA	1-20	ALPHABETIC, NUMERIC, SPECIAL CHARACTERS
DATE OF CANCELLATION	MANDATORY	DOC	8-8	NUMERIC

REASON FOR PROPERTY RECORD REMOVAL	OPTIONAL	RPP	10-21	ALPHABETIC, NUMERIC
--	----------	-----	-------	------------------------

4.4 IDENTIFICATION OF A RECORD TO BE CANCELED

The cancel transaction must contain two record identifiers. The first identifier is the NIC or LIC. The second identifier must always be the OCA. Each identifier must be preceded by the proper MFC and a slash (/). Date of Cancellation (DOC) must be the current date or the current date minus one.

4.5 ADDITIONAL GUIDELINES FOR CANCELLATION

When a record is canceled, the user is expected to enter the Reason for Property Record Removal (RPP). The RPP Field is entered directly after the DOC Field. For a cancel, the RPP value will be either ADMIN CLOSING, CASE DROPPED or NOT STOLEN.

4.6 AUTOMATIC NOTIFICATION OF CANCELLATION

A \$.8.Out-of-State Notification will be sent automatically as necessary.

5 INQUIRY

5.1 EXAMPLE OF AN INQUIRY WITH NEGATIVE AND POSITIVE RESPONSES

```
1N01HEADER.QV.WA1230000.LIC/ABC132.LIS/MD.
```

Negative Response:

```
1L01HEADER
WA1230000
NO RECORD LIC/ABC132 LIS/MD
```

Positive Response:

```
1L01HEADER
WA1230000
MKE/STOLEN LICENSE PLATE
ORI/MD1012600 LIC/ABC132 LIS/MD LIY/1999 LIT/PC DOT/20151101
OCA/CS1234
VLD/20161101 NOA/Y
MIS/STOLEN PLATE FROM THE CAR ON THE DRIVEWAY
NIC/P000002154 DTE/20151101 0000 EST DLU/20161101 0000 EST
ORI IS ANY CITY PD MD 301 555-1234
IMMED CONFIRM RECORD WITH ORI
```

5.2 REQUIREMENTS FOR INQUIRY

Inquiries can be made using the NIC only or LIC only. Each identifier must be preceded by the proper MFC and a slash (/). The LIS is not required for an inquiry but should be included as it will limit the scope of the search to records on file containing matching LIS information and prevent unnecessary \$.H. administrative messages from being generated.

5.3 ADDITIONAL GUIDELINES FOR INQUIRY

- To determine if a license plate is stolen, an inquiry of the Vehicle File must be made. An inquiry (QV or ZV) will perform a primary search for the LIC data in the person files and the Vehicle, Boat, and Vehicle/Boat Part Files. Additional information concerning inquiry can be found in the Vehicle File chapter.
- If an inquiry is made without the LIS, the response will include any record that contains the same license plate number. To avoid multiple record matches and limit the scope of the search, the LIS should be included in the inquiry.
- An inquiry (QV or ZV) containing only license plate data can cause a second search if the primary response contains records with a VIN, FBI, or SOC. When this happens, a second computer search is automatically generated on these fields. The automatic second search can produce hits from the person files, or Boat, Vehicle, or Vehicle/Boat Part Files. If the initial inquiry on license plate data produces:
 - A person record with identical license data, a second search is performed on VIN, FBI, or SOC contained in the base record. If there is no VIN in the base record, then the search is performed on the oldest VIN in the supplemental record.

This message appears when a hit response contains expired license plate data.

WARNING - THE FOLLOWING RECORD CONTAINS EXPIRED LICENSE PLATE DATA. USE CAUTION, CONTACT ENTERING AGENCY TO CONFIRM STATUS.

5.3.1 RELATED SEARCH HIT (RSH)

- Inquiries may also contain a RSH Field. If the RSH is Y, secondary hit responses will be returned for all linked records. The NCIC System links records when:
 - 1) ORI/OCA matches the primary hit response and the dates of entry for those records are within 30 days of each other, or
 - 2) the LKI/LKA are the same as ORI/OCA contained in the primary hit response.

If RSH is not entered, the field will default to N.

For example:

```
1N01HEADER.DCFBIWA11.LIC/5GM36U.RSH/Y
```

The following would be returned after the primary hit response based on the ORI/OCA of the two records being the same:

```
***RELATED RECORDS***
```

```
MKE/WANTED PERSON
EXL/1 - FULL EXTRADITION
ORI/DCFBIWA11 NAM/LINKAGE,G00FY SEX/M RAC/W
DOB/19960512 HGT/605 WGT/135 EYE/BR0 HAI/BR0
OFF/BURGL TOOLS - POSSESS
DOW/20190821 OCA/TESTLINK
NOA/N
```

MIS/TEST
 DNA/N
 ORI IS FBI CJIS DIVISION 304 625-2000
 NIC/W160005480 DTE/20190821 1448 EDT DLU/20190821 1448 EDT

The following would be returned after the primary hit response if the primary hit response has an LKI/DCFBIWA11 and LKA/TESTLINK that matches another record's ORI/OCA:

RELATED RECORDS

MKE/WANTED PERSON
 EXL/1 - FULL EXTRADITION
 ORI/VAUSM0000 NAM/DOE,JOHN SEX/M RAC/W
 DOB/19870714 HGT/605 WGT/135 EYE/BR0 HAI/BR0
 OFF/AGGRAV ASSLT - FAMILY-STGARM
 DOW/20190821 OCA/LINKTEST
 LKI/DCFBIWA11 LKA/TESTLINK
 NOA/N
 MIS/TEST
 DNA/N
 ORI IS US MARSHALS SERVICE HEADQUARTERS ARLINGTON 202 307-9100
 NIC/W440007702 DTE/20190821 1508 EDT DLU/20190821 1508 EDT
 IMMED CONFIRM WARRANT AND EXTRADITION WITH ORI

- If the hit response contains more than ten secondary hit responses, the following will be included in the hit response after the ten secondary hit responses.

TO OBTAIN ADDITIONAL SECONDARY HITS, INQUIRE ON FBI, SOC,
 OR VIN FROM PRIMARY HITS. TO OBTAIN ADDITIONAL RELATED
 RECORDS, USE THE ONE CRIME INQUIRY (QI) TRANSACTION.

5.4 BATCH INQUIRY (QVB)

The NCIC batch inquiry allows users to create a file of individual QV/ZV inquiries in one message. Each inquiry is delimited by a sequence number (SEQ) at the beginning of the inquiry and an "&" as a separator. The SEQ is three numerics and is used to match the responses (hit or no hit) to the specific inquiry from which they were generated. Prior to each response SEQUENCE NUMBER: <SEQ> will be returned to identify those responses that follow as coming from the inquiry with that sequence number. Additional information concerning batch inquiry can be found in the Vehicle File chapter.

5.5 PROCEDURES FOR HANDLING A HIT

- An NCIC hit may not be probable cause to arrest. A hit confirmed with the ORI may be adequate grounds to recover a license plate.
- When an agency receives a record in response to an NCIC System inquiry and the whereabouts of the stolen license plate inquired upon is known and the license plate inquired upon appears to be identical with one or more of the records, the agency that can seize the stolen license plate must contact the ORI of each record possibly identical with the license plate in question to confirm the hit prior to seizing the license plate.
- "To confirm the hit" means to verify that the theft report is still outstanding; to verify that the license plate inquired upon is identical to the license plate described in the record; and to obtain information concerning the return of the license plate to the rightful owner.

- When an agency receives a record in response to an NCIC System inquiry and the whereabouts of the stolen license plate inquired upon is not known, the hit should not be confirmed.
- This system is based upon two levels of priority: urgent and routine, with a different response time governing each level. Hit confirmation procedures are detailed in the Introduction chapter of this manual.
- When an agency receives a record response to an NCIC System query containing investigative interest information, the inquiring agency is not required to notify the investigative interest agency(s). If the investigative interest agency requests notification of all its hits, this agency should place "Y" in the Notify Investigative Agency (NIA) Field. Refer to the Other Transactions chapter of this manual for additional information on investigation interest supplemental records.

5.6 CANADIAN VEHICLE INDEX INFORMATION

- The NCIC System maintains an interface with the Canadian Police Information Centre (CPIC) that allows searchable identifiers in CPIC records to be transmitted to the NCIC System for storage and access, creating the Canadian Vehicle Index (CVI). The CVI contains stolen boat, part, vehicle, and license plate records, including U.S. registered vehicles and boats stolen in Canada. Based on the CVI response, the inquiring agency should perform an Nlets transaction to obtain current record information in CPIC, then perform any required hit confirmation. Canadian agency names, addresses, and telephone numbers may be obtained through a QO inquiry.
- When a U.S. user queries the NCIC System and the query hits on a CPIC record, the user will receive the following message as a hit response:

Positive Response:

```
YOUR TRANSACTION IS A POSSIBLE MATCH WITH AN INDEX RECORD FOR FELONY
VEHICLE IN CANADA
WITH THE FOLLOWING IDENTIFIERS: ORI/BC1234567 LIC/ABC123 LIS/AB
VIN/CAN1234567890.
ADDITIONAL INFORMATION MAY BE OBTAINED VIA NLETS USING A VQ OR XQ
TRANSACTION.
INTERNATIONAL USERS CONTACT INTERPOL OTTAWA.
```

6 LOCATE

6.1 WHEN TO USE A LOCATE MESSAGE

Any agency that recovers a license plate which is indexed in the NCIC System, except the agency that entered the record, must place a locate message on the stolen license plate record(s). When an agency receives a record or multiple records in response to an inquiry, the agency that can seize the stolen license plate must contact the ORI of each record that is possibly identical with the license plate in question to confirm the hit.

Following confirmation with the originating agency, a locate message must be transmitted for each record that was hit and confirmed with the ORI of the record. If the agency that locates a stolen license plate is the entering agency, no locate transaction is necessary.

The MKE LV should be used for locating a stolen license plate record.

Once a License Plate File record has had a locate placed on it, it cannot be modified.

6.2 EXAMPLE OF A LOCATE MESSAGE

The locate example contains: header (1N01HEADER), message key (LL), Originating Agency Identifier (WA1230000), two record identifiers (NIC/P000002154 and OCA/ 1234678), date of recovery (19991030), recovering agency case number (35102), and benefits and effectiveness data: reason for property record removal (HIT NCIC 19991030), number of persons apprehended (4), number of missing persons found (003J10020N), value of other recovered property (400), and value of recovered contraband (1000).

```
1N01HEADER.LL.WA1230000.NIC/P000002154.OCA/1234678.19991030.35102.
HIT NCIC 19991030.4.003J10020N..400.1000
```

Acknowledgment:

```
1L01HEADER
WA1230000
LOCATE NIC/P000002154
```

When a locate message is transmitted for a stolen license plate record, the message key translation changes as follows:

STOLEN LICENSE PLATE	LOCATED STOLEN LICENSE PLATE
STOLEN LICENSE PLATE - OCCUPANT(S) ARMED	LOCATED STOLEN LICENSE PLATE - OCCUPANT(S) ARMED
STOLEN LICENSE PLATE - OCCUPANT(S) ARMED/ HOLD FOR LATENTS	LOCATED STOLEN LICENSE PLATE - OCCUPANT(S) ARMED/ HOLD FOR LATENTS
STOLEN LICENSE PLATE - HOLD FOR LATENTS	LOCATED STOLEN LICENSE PLATE - HOLD FOR LATENTS

6.3 MESSAGE FIELD CODES FOR LOCATE

FIELD NAME	REQUIREMENTS	MESSAGE FIELD CODE	FIELD LENGTH	DATA TYPE
HEADER	MANDATORY	HDR	9-19	ALPHABETIC, NUMERIC, SPECIAL CHARACTERS
MESSAGE KEY	MANDATORY	MKE	2-2	ALPHABETIC
ORIGINATING AGENCY IDENTIFIER	MANDATORY	ORI	9-9	ALPHABETIC, NUMERIC
NCIC NUMBER	CONDITIONAL	NIC	10-10	ALPHABETIC, NUMERIC
LICENSE PLATE NUMBER	CONDITIONAL	LIC	1-10	ALPHABETIC, NUMERIC
ORIGINATING AGENCY CASE NUMBER	MANDATORY	OCA	1-20	ALPHABETIC, NUMERIC, SPECIAL CHARACTERS
DATE OF RECOVERY	MANDATORY	DOR	8-8	NUMERIC
RECOVERING AGENCY CASE NUMBER	OPTIONAL	RCA	1-20	ALPHABETIC, NUMERIC
REASON FOR PROPERTY RECORD REMOVAL	OPTIONAL	RPP	10-21	ALPHABETIC, NUMERIC

NUMBER OF PERSONS APPREHENDED	OPTIONAL	NPA	1-3	NUMERIC
NUMBER OF MISSING PERSONS FOUND	OPTIONAL	NPF	1-20	ALPHABETIC, NUMERIC
VALUE OF RECOVERED PROPERTY	OPTIONAL	VNP	1-8	NUMERIC
VALUE OF OTHER RECOVERED PROPERTY	OPTIONAL	VOR	1-8	NUMERIC
VALUE OF RECOVERED CONTRABAND	OPTIONAL	VRC	1-8	NUMERIC

6.4 IDENTIFICATION OF A RECORD TO RECEIVE LOCATE

The location transaction must contain two record identifiers. The first identifier is the NIC or LIC. The second identifier must always be the OCA. Each identifier must be preceded by the proper MFC and a slash (/). The OCA used as an identifier will be that of the agency that entered the record, as shown in the record received from the NCIC System in reply to the apprehending/locating agency's inquiry.

6.5 LOCATE PROCEDURES

- The date of recovery cannot be prior to the date of theft.
- Ten days after a record is located, it is retired, and the entering agency is notified with a \$.P. administrative message.
- There are no locate procedures for CVI records.

6.6 ADDITIONAL GUIDELINES FOR LOCATE

Following the date of recovery and recovering agency case number, users are expected to enter benefits and effectiveness data. These fields include RPP, NPA, NPF, VNP, VOR, and VRC. The entry of benefits data is not MFC-dependent. Therefore, any field not entered should be accounted for with a period. Additional information on benefits and effectiveness data can be found in the Introduction chapter of this manual.

When recovering/locating a record in the NCIC System, the user is expected to enter benefits and effectiveness data. For a locate message, the RPP value will be either OTHER MEANS, or PREVIOUS RECOVERY.

6.7 AUTOMATIC NOTIFICATION OF LOCATE

When an agency places a locate against another agency's record, the NCIC System will automatically notify the entering agency through a \$.L. administrative message. Additional information concerning the \$.L. administrative message can be found in the Introduction chapter of this manual.

A \$.8. Out-of-State Notification will be sent automatically as necessary. Additional information concerning the \$.8. administrative message can be found in the Introduction chapter of this manual.

7 CLEAR

7.1 WHEN TO USE A CLEAR MESSAGE

Clearance of a record is restricted to the agency that entered the record. A clear message is transmitted:

- When the agency recovering the license plate is the agency that entered the record.
- When the agency that entered the record is officially advised by another agency that the license plate has been recovered.

7.2 EXAMPLE OF A CLEAR MESSAGE

Example of a clear transaction for a License Plate File record when the plate was recovered by an agency other than the entering agency.

The clear example contains header (1N01HEADER), message key (CL), Originating Agency Identifier (MD1012600), two record identifiers (NIC/P000002154 and OCA/456TYHT), date of clear (19991030), recovering agency ORI (WA1230000), recovering agency case number (35102), and benefits and effectiveness data: reason for property record removal (HIT NCIC 19991030), number of persons apprehended (4), number of missing persons found (003J10020N), and value of recovered contraband (1000).

```
1N01HEADER.CL.MD1012600.NIC/P000002154.OCA/456TYHT.19991030.
WA1230000.35102.HIT NCIC 19991030.4.003J10020N...1000
```

Acknowledgment:

```
1L01HEADER
MD1012600
CLEAR NIC/P000002154
```

7.3 MESSAGE FIELD CODES FOR CLEAR

FIELD NAME	REQUIREMENTS	MESSAGE FIELD CODE	FIELD LENGTH	DATA TYPE
HEADER	MANDATORY	HDR	9-19	ALPHABETIC, NUMERIC, SPECIAL CHARACTERS
MESSAGE KEY	MANDATORY	MKE	2-2	ALPHABETIC
ORIGINATING AGENCY IDENTIFIER	MANDATORY	ORI	9-9	ALPHABETIC, NUMERIC
NCIC NUMBER	CONDITIONAL	NIC	10-10	ALPHABETIC, NUMERIC
LICENSE PLATE NUMBER	CONDITIONAL	LIC	1-10	ALPHABETIC, NUMERIC
ORIGINATING AGENCY CASE NUMBER	MANDATORY	OCA	1-20	ALPHABETIC, NUMERIC, SPECIAL CHARACTERS
DATE OF CLEAR	MANDATORY	DCL	8-8	NUMERIC
RECOVERING AGENCY IDENTIFIER	OPTIONAL	RRI	9-9	ALPHABETIC, NUMERIC

RECOVERING AGENCY CASE NUMBER	OPTIONAL	RCA	1-20	ALPHABETIC, NUMERIC, SPECIAL CHARACTERS
REASON FOR PROPERTY RECORD REMOVAL	OPTIONAL	RPP	10-21	ALPHABETIC, NUMERIC
NUMBER OF PERSONS APPREHENDED	OPTIONAL	NPA	1-3	NUMERIC
NUMBER OF MISSING PERSONS FOUND	OPTIONAL	NPF	1-20	ALPHABETIC, NUMERIC
VALUE OF RECOVERED PROPERTY	OPTIONAL	VNP	1-8	NUMERIC
VALUE OF OTHER RECOVERED PROPERTY	OPTIONAL	VOR	1-8	NUMERIC
VALUE OF RECOVERED CONTRABAND	OPTIONAL	VRC	1-8	NUMERIC

7.4 IDENTIFICATION OF A RECORD TO BE CLEARED

The clear transaction must contain two record identifiers. The first identifier is the NIC or LIC. The second identifier must always be the OCA. Each identifier must be preceded by the proper MFC and a slash (/). The OCA used as an identifier will be that of the agency that entered the record as shown in the stolen license plate record received from the NCIC System in response to the apprehending/locating agency's inquiry.

7.5 CLEAR PROCEDURES

There are two circumstances that require unique record formats to clear a license plate record.

- If the agency that entered the record recovers the license plate, only the DCL (which cannot be prior to the DOT) must be entered following the two record identifiers. Additionally, benefits and effectiveness data should be included.
- If the stolen license plate record is located by an agency other than the entering agency and:
 - The record being cleared is in a located status (MKE/LOCATED LICENSE PLATE), only the DCL would be entered following the two record identifiers.
 - The record being cleared is in an active status (MKE/STOLEN LICENSE PLATE), the DCL followed by the RRI and the RCA, in that order, without MFCs, would be entered after the two record identifiers. Following the DCL, RRI, and RCA, users are expected to enter benefits and effectiveness data. These fields include RPP, NPA, NPF, VNP, VOR, and VRC. The entry of benefits data is not MFC-dependent. Therefore, any field not entered should be accounted for with a period. Additional information on benefits and effectiveness data can be found in the Introduction chapter of this manual.

7.6 ADDITIONAL GUIDELINES FOR CLEAR

Following the DCL, RRI, and RCA, users are expected to enter benefits and effectiveness data. Additional information on benefits and effectiveness data can be found in the Introduction chapter of this manual.

When clearing a record in the NCIC System, the user is expected to enter benefits and effectiveness data. For a clear message, the RPP value will be either OTHER MEANS or PREVIOUS RECOVERY.

7.7 AUTOMATIC NOTIFICATION OF CLEAR

A \$.8. Out-of-State Notification will be sent automatically as necessary.